

PROVA PRATICA N. 2


QUESITO 1:
MASCHIO 25aa,
DOLORE DORSALE
INSORTO IMPROVVISAMENTE,
VARIABILE CON GLI ATTI
RESPIRATORI



Emogasanalisi arteriosa

| | | |
|-------------|----------------|------------------------|
| pH | 7.03 * | (7.35 - 7.45) |
| pCO2 | 19 * mmHg | (35 - 45) |
| pO2 | 124 * mmHg | (75 - 100) |
| HCO3-att | 5.0 * mmol/L | (22 - 29) |
| BE (B) | -24.0 * mmol/L | (-2.0 - +2.0) |
| O2SAT | 97 % | (95 - 99) |
| BE (ecf) | -25.8 mmol/L | (-1.0 - +1.0) |
| ct Hb | 8.5 * g/dL | (12 - 16) |
| HCT | 26.2 * % | (36 - 46) |
| HCO3 - std | 7.2 * mmol/L | (17 - 20) |
| FO2 Hb | 95.5 % | |
| FCOHb | 0.3 % | < 2.0 Fumatori fino 8% |
| FHHb | 2.6 % | |
| FmetHb | 1.6 % | < 1.5 |
| p50c | 36.72 mmHg | |
| ctO2 | 11.7 % | |
| Na | 157.0 * mmol/L | (136 - 146) |
| K | 3.9 mmol/L | (3.5 - 5.3) |
| Cl | 98.0 mmol/L | (97 - 110) |
| Ca++ | 0.91 * mmol/L | (1.15 - 1.25) |
| Glu | 163 * mg/dl | (70 -110) |
| Lac | 26.0 * mmol/L | (0.5 - 1.6) |
| Anion Gap | 54.1 mmol/L | |
| pO2(a)/FIO2 | 414 mmHg | |
| ctBil | 1.3 mg/dL | |
| FIO2 | 20.0 % | |

QUESITO 2: DONNA 53 aa DIABETICA IN METFORMINA, DIARREA E DOLORI ADDOMINALI



QUESITO 3: MASCHIO 50 aa, SINCOPE